



Operating Instructions

Float-11

Float-11 Float Level Indicator

www.jiweimeter.cn

3162

5

0755-28407683

+86 755-89352063



1		- 2 -
1.1		- 2 -
1.2		- 2 -
1.3		- 2 -
2		- 2 -
2.1		- 2 -
2.2		- 3 -
3		- 3 -
4		- 4 -
4.1		- 4 -
4.2		- 4 -
4.3		- 4 -
5		- 4 -
6		- 5 -
7		- 5 -
7.1		- 5 -
7.2		- 5 -
7.3		- 5 -
8		- 6 -

1

1.1

Float-11

Float-11

Float-11A

304 316L

Float-11P

PTFE PP

1.2

Float-11



4 20mA

1.3

2

2.1

1



1 Float-11

2.2

(1)

(2) LED

(3)

Ex db IIC T6 Gb

Ex ia IIC T6Ga

(4)

IP66/IP67

(5)

304 316L

PTFE/PP

3

	300 6000mm
	$\geq 0.5\text{g/cm}^3$
	$\leq 25\text{bar}$
	-20 120
	-40 70
	$\pm 5\text{mm}/\pm 10\text{mm}$
	$\phi 21 \times 2\text{mm}$
	$\phi 14 \times 1\text{mm}$
	PTFE PP
/ /	304
	316L
	IP66/IP67
	4 20mA
	18 36V DC
	Ex d C T6 Gb
	Ex ia C T6Ga

“www.jiweimeter.cn

4

4.1

(1)


(2)

4.2

5-9mm

4.3

2



2

5


(1)

(2)

(3)

(4)

(5)



3

6

+86 755 28407683

www.jiweimeter.cn

7

7.1

7.2

7.3

(1)

(2)

(3)

(4)



(5)

(6)

20 85%

-40 80



Float-11A



水平显示



L

L1



直立显示

Float-11P



水平显示

L

L1

直立显示